


DIGITAL INDUSTRIES SOFTWARE **NX Mach Series add-on modules**

Extending product development features and capabilities of NX Mach Series solutions

Benefits

- Extend features and capabilities of the NX Mach Series
- Configure through process-, industryand application specific tools
- Navigate flexible token-based licensing



SIEMENS

Summary

The NX Mach[™] Series software offers preconfigured solutions targeted to specific product development disciplines and problems. You can extend and enhance the functionality of the Mach Series with add-on modules. These add-ons enable you to configure your solutions to specific requirements with specialized design tools, standard parts applications, design-integrated simulation solutions, programming and customization toolkits and direct translators. NX, Simcenter[™] 3D software, Teamcenter[®] software, the Fibersim[™] portfolio, the Mastertrim[™] portfolio and other solutions mentioned in this brochure are part of the Xcelerator portfolio, the comprehensive and integrated portfolio of software and services from Siemens Digital Industries Software.

The "Token licensing" marked add-ons in the product overview are part of the valuebased licensing pool. Token licensing provides you with extra flexibility, as you can use the tokens to activate any product that is part of the token pool.

Core applications

Using NX provides you with various core functionalities that enable you to exchange data between proprietary systems and NX, check designs in real size with our virtual reality tools and give you an extra boost in usability with artificial intelligence (AI) powered command prediction.

NX STEP AP 242*

This add-on provides bidirectional translation using the STEP AP242 translation protocol.

NX CATIA V4 translator*

You can use this to deliver bidirectional translation between CATIA V4 and NX. Users can access files from the file open, file save as, file import and file export dialogs. This tool flattens assemblies to a single level on both import and export.

NX CATIA V5 translator*

This enables bidirectional translation and reads CATPart and CATProduct files. This tool reads coordinate systems, points and part substructure, geometry, assembly structure and attributes of data of color, layer and name and puts it into NX.



NX Creo Translator*

This can read Creo Parametric solids and surfaces from *.prt and *.asm files and creates an NX part or assembly.

NX ACIS Translator*

This add-on provides two-way data exchange between NX and computer-aided design (CAD) models in the ACIS modeling kernel format.



NX Translator for IFC*

You can leverage this to deliver bidirectional translation using the Industry Foundation Classes (IFC) file format, which describes architectural, building and construction data.

NX Command Prediction*

The machine learning (ML) and artificial intelligence enabled user interface (UI) can predict and serve commands to the user based on learned command usage patterns. It provides design environment personalization by considering the differences in knowledge, style and preferences. Leveraging and sharing of learned command usage data enable a reduced learning curve, promote use of domain and or industry-specific best practices and increase productivity.

NX Smart Selection

Uses predictive data analytics to predict entities that designers will likely select for a given command.

NX Select Similar Faces*

Performs operations on geometrically similar regions with a reduced number of clicks.

NX Voice - Command Assistant*

Realizes productivity gains by transforming multiple level of menus and clicks with the easy-to-use speech- to- text command assistant.

NX Viewer*

With NX Viewer, you can open, view and measure NX models and drawings in the native NX format. This is ideal for users who have access and need to view NX data, but do not intend to save or reauthor NX data.

NX DMU and Markup*

This provides you access to digital mockup (DMU) and markup functions including create DMU workset, create snapshot, manipulate snapshot, insert product, move in workset, reset to design state and add markups.



NX DMU and Markup Add-on for NX Viewer*

This add-on allows the NX Viewer user to perform digital mockup functions.

NX Virtual Reality Review

The NX Virtual Reality Review license provides you with integrated immersive studies and design review capabilities. Users can review designs with the help of a virtual reality (VR) headset and VR-supported hardware.



NX Virtual Reality Collaborate

When used together with NX VR Review, this add-on supports multi-user NX VR sessions. Any number of NX Virtual Reality Review users can join a single collaborate session. The NX VR multi-user collaboration server synchronizes operations that each participant performs.



NX Extended Reality*

This allows you to publish your 3D product designs to a range of augmented, virtual and mixed reality workflows and share your ideas easily with colleagues or customers. You can use the NX Extended Reality output across a range of augmented reality (AR) and VR experiences and is natively supported by a variety of browsers.

NX Appearance Management*

Enables designers and engineers to quickly and easily set up a series of visual appearances on a single master model. When combined with NX Render, the user can create a high-quality render of these visual appearances for design reviews or marketing assets.



NX Appearance Management for Managed User*

Using NX Managed Appearance Management enables designers to define an appearance product scheme to manage a products appearance variability when they manage the design data using Teamcenter.

NX Multi-user Design Notification*

This functionality allows designers to save time and eliminate rework by discovering design changes as they occur. Designers can decide which parts they follow and get notified when the followed parts are checked-out, checked-in or saved. Loaded parts are automatically updated to the latest version and users can customize the notification center.

Mechanical

Industrial design and styling

Create aesthetically appealing, innovative products with fast concept design, freeform shape modeling and surfacing capabilities including subdivision modeling, class-A surfacing and reverse engineering. Use enhanced visualization with both dynamic and real-time photorealistic rendering tools to create visually stunning models.


NX Render*

NX Render is powered by best-in-class rendering technology and enables you to create photorealistic images for design reviews, marketing assets and sales collateral. Using NX Render to create the perfect looking image is now easier than ever with the addition of an all-new set of render-ready materials. You can drag-and-drop materials, lighting and cameras into your scene in minutes to achieve desired results with accurate texture and reflection.




NX Realize Shape*

You can use subdivision modeling methods to create advanced 3D product shapes with unprecedented speed and ease of use. The toolset is equally suited to creating quick 3D concepts or final surface shapes of the highest quality. NX Realize Shape™ software is fully integrated with all other NX modeling functions, allowing seamless incorporation with traditional modeling approaches to achieve a high degree of refinement of the design.



NX Draw Shape*

This add-on enables designers to visually convey and communicate aspects of the design prior to investing in 3D models. This add-on enhances NX capabilities by enabling freehand drawing of wireframe shapes on bodies.



Product design

The core modeling capability of NX combines wireframe, surface, solid, parametric and direct modeling in a single environment that enables designers to choose the most appropriate tool for the task at hand. Pioneering capabilities such as synchronous technology and Convergent Modeling[™] technology make it easy to edit designs with simple push/pull methods and work with facet/mesh data in the same modeling environment. The adaptive UI of NX uses machine learning to help designers improve productivity.

NX Show/Hide Similar

This machine learning-enabled functionality allows users to show or hide multiple components that are geometrically similar to a selected component. This functionality helps you easily declutter assemblies or perform operations on geometrically similar components.

Layout for NX

This 2D conceptual design solution allows you to take advantage of essential 2D requirements and leverage a familiar drawing environment. NX Layout provides many dedicated tools to support 2D data migration, 2D design and layout as well as 2D-to-3D capabilities to explore concepts in 2D, iterate and transfer to 3D to generate 3D models and assemblies.

NX WAVE Control*

NX WAVE Control is a geometry linking tool that enables designers to define interpart relationships for parametric assembly modeling. WAVE assembly control structures and constraints help designers simplify design changes and accelerate modeling of configurations, options and variants.



NX Assembly Path Planning*

The assembly path planning software automatically determines the optimum, interference-free path for extracting a component from an assembly. The resulting path is stored as a set of steps within an assembly sequence. The extraction path can streamline serviceability studies by verifying component access without requiring a physical prototype or extensive analysis.

NX Lattice Structures Design

Often used in additive manufacturing, lattice structures allow weight reduction without compromising structural integrity. Using NX Lattice Structures Design provides powerful set of design capabilities including custom lattice cells to suit specific design needs such as improved strength, rigidity, impact resistance, energy absorption or porosity, as well as



custom and randomized lattice structures. It is possible to filter individual lattice rods and create special tetrahedron surface and volume lattice structures.

NX Structure Designer*

Create structural frames more efficiently with its easy-to-use structural frame modeling capability. You can create structural frames in minutes by leveraging the frame drawing assistant to create 2D skeletons with minimal clicks.


NX Platform Design*

You can design equipment support structures, accessways, walkways, maintenance platforms and similar steel structures with these specialized tools to maximize productivity for modeling platforms, plating of platforms, reinforcements, corner conditions, handrails, stairs and ladders.



NX Topology Optimizer*

This design optimization tool can be used to automate the improvement of structural designs, while still meeting the various performance, material and manufacturing requirements. It contains powerful optimization capabilities including the ability to set up and perform an optimization on a single component or system assembly, the ability to add various design and manufacturing constraints to control the results of the optimization, such as design symmetry, offset, shelling, blending, additive overhang angles, additive self-supporting, additive material spreading, molding, casting, machining and extrusion.




NX Design Space Explorer*

NX Design Space Explorer provides you with multi-objective design space exploration and optimization capabilities.

NX Advanced Sheet Metal*

Users can model complex sheet metal parts that contain drawn features and nonlinear bend lines. The advanced flange function allows easy creation of nonlinear flanges using customer input parameters or existing geometry to define shapes and specify end

limits. The completely revised joggle function enables you to add complex joggles to flanges or tabs including single and multiple jogs. Lightening Cutout completes the tool set making this product ideal for aerospace sheet metal design. The flat pattern feature provides rich data for downstream consumption.



NX Fabric Flattener*

This add-on is designed to generate flat patterns for woven or unidirectional fabric materials. You can use it to flatten composite laminate plies or any materials that conform to the theoretical models for woven or unidirectional fabrics.

NX Weld Assistant*

This add-on can help you create weld, structural adhesive and mechanical connection features. It includes resistance spot welds, mechanical clinches, arc welds in the shape of fillets, butt, J, V, bevel and flared bevel. You can generate sealer beads with any cross-sectional shape and define any spray-on adhesive, mastic or glue. There are validation checks for all discrete weld types along with import and export capabilities. An automatic annotation function generates standard weld symbols and product and manufacturing information (PMI), and then you can publish all weld features to Teamcenter when running in managed mode.

NX Drawing Automation*

Using NX Drawing Automation provides a framework for developing a company-specific drawing automation solution. With this framework, users can define a highly customized set of rules for creating drawings to specification. Tools are also included for developing custom templates used to automate the drawing process.

NX Physical Architecture Diagram Author*

This add-on is used for model-based systems engineering (MBSE) and helps you manage and trace large numbers of product and technical requirements throughout the design process. It can show connections such as WAVE links, assembly constraints and dimensions between components of a 3D assembly and reports on the status of requirement checks on measurement. You can use the package as a standalone module in NX or in conjunction with Teamcenter MBSE parameter management.

NX Physical Architecture Diagram Viewer*

The viewer shows connections such as WAVE links, assembly constraints and dimensions between components of a 3D assembly and reports on the status of requirement checks on measurement.



NX Physical Parameter Management Author*

Also used for MBSE, this add-on manages mechanical requirements and measures results for master 3D and CAE models. It enables users to create and report on measurements in the CAD model and also reports status of checks on values from CAE results performed in other applications such as Simcenter[™] 3D software.

NX Physical Parameter Management Viewer*

The viewer displays reports on measurements in the CAD model and also reports status of checks on values from CAE results performed in other applications such as Simcenter 3D.

NX Reference Point Cloud View


NX Reference Point Cloud View allows users to visualize point cloud files in the point database (POD) format. The software enables designers to easily add referenced point cloud objects into layout models (from NX Line Designer and ship design applications for example) and perform various operations on the point clouds including measurements and clippings. Using NX Reference Point Cloud View helps improve virtual planning workflows and reduces the number of errors during the physical implementation.

NX Join*

This tool reduces the time-to-place and defines fasteners and hardware, while improving the quality of the fastener assembly design. Users can define standard join features with information and attributes about the connection between assembly components. NX Join covers the basic definition of point-based connections including rivets, bolts, adhesives and spot welds.


NX OmniFree Transformer

This add-on allows you to morph surfaces to points or curves in the NX environment. The points/curves compensate for springback which occurs during stamping.




NX OmniMesh Transformer

This add-on is used for tool morphing, providing capabilities to morph surfaces to CAE meshes, STL or point clouds in the NX environment. The mesh/STL/point cloud compensates for springback which occurs during stamping.



NX Advanced Convergent Modeling™*

This add-on allows you to use innovative capabilities that seamlessly work with mesh geometry in an integrated CAD workflow. With the aid of this add-on, it becomes much easier to work with data from 3D scanners, polygon modelers and simulation software and data from topology optimization. These tools also make it easier for you to prepare mesh/STL geometry for 3D printing.



NX Implicit Modeling*

Users can create equation-driven structures and perform robust modeling operations on complex designs. Users can design advanced geometric shapes with relative ease and complex operations between geometry that have a high degree of robustness over more traditional methods like b-rep modeling. Using features of Convergent Modeling and NX can present these results in a usable format for downstream modeling and simulation/manufacturing operations.



NX Advanced Assemblies*

The advanced assembly modeling capabilities enable users to simplify components or sub-assemblies into a single lightweight solid, to enclose assembly geometry in an envelope of planar faces, to partition assemblies into meaningful regions, and to manage weight and other mass properties of components and assemblies. Component filtering techniques enable designers to quickly identify and load the components of relevance to their current task, avoiding unnecessary delays and screen clutter caused by loading irrelevant components.

NX Design for Additive Manufacturing*

You can use this add-on to innovative capabilities that aid in designing parts that are suitable for production using 3D printing.



Model-based definition

Using model-based definition (MBD) capabilities in NX enables you to produce a complete digital definition of a product within a 3D model. Using NX can help you reduce the time spent on engineering documentation, drive downstream tools for validation and manufacturing, and reduce late changes and scrap by empowering the model as the single source of truth. Leveraging NX allows you to reduce the time spent on engineering documentation, drives downstream tools for validation and manufacturing and reduces late changes and scrap.

NX Product and Manufacturing Information*

Users can digitally author 3D annotation and product data in a solid part or assembly. PMI includes 3D dimensions, 3D GD&T (geometric dimension and tolerance) data such as datums and feature control frames, 3D notes and customizable non-geometric information that can be directly associated to an NX model. This enables the production of a complete digital definition of a product within a 3D model, eliminating the need for traditional drawings.

NX Model-based Definition*

The NX Model-based Definition is an add-on to the NX Product and Manufacturing Information application. This add-on delivers advanced capabilities to support model-based definition deployments including the automated authoring of PMI and user-defined rules. This functionality includes an interactive Logic Editor

diagramming interface that supports building and executing rules used to author PMI. NX Model-based Definition rules use topological feature recognition with associative updating that enable you to work with full featured models or featureless data.




NX PMI Effectivity*

NX PMI Effectivity helps users who design products that contain a large number of variations determine which PMI on a model is relevant for each product configuration. This allows users to infer the effectiveness of PMI objects based on the geometry referenced by the PMI and enables the display of only those PMI objects that are relevant to the selected configuration of the product.

NX Staged Models*

This add-on streamlines the overall staged model design process for production planning and authors complete manufacturing information within the 3D staged models. It includes geometrical representation of staged models, PMI and other manufacturing process information.



NX Technical Data Package

A technical data package can contain data such as models, drawings, associated lists, specifications, standards and performance requirements. The NX Technical Data Package provides you with functionality to create, modify, save, store and re-use technical data package templates and publish technical data packages to industry-recognized formats, JT plus PDF and 3D PDF.



NX Coatings*

You can use NX Coatings to define paint and coating information in the CAD model, including the assignment of coating material,

face and boundary location and thickness. Once you have this information you can define the coating, include it in the mass properties calculation, annotate it using PMI or drawing notes and include it in the parts list rollup or bill-of-materials (BOM).




Knowledge re-use

The knowledge re-use capabilities in NX such as a 3D search engine shorten design cycles, reduce development costs and improve productivity. With knowledge-driven automation capabilities, your company can capture, re-use and consistently apply best practices across product lines.

NX Algorithmic Modeling*

Users can create algorithmically driven designs and design and automate advanced variational, parametric shapes that are not possible with traditional interactive CAD modeling. It uses a novel, logic editor-based approach to build an algorithm that defines the shape and variability of a design provides an easy-to-use interface and works for automation and design templatization.



NX Product Template Studio Author

You can use templates to modularize a design, breaking a complex assembly into manageable modules that can be recombined as needed to configure complex products. NX Product Template Studio Author can help you add a user-defined interface to any parametric model, which allows parametric models to be intuitively described and packaged for later re-use.

NX Product Template Studio Consumer*

This add-on allows you to display and interact with user-defined template interfaces created using the Product Template Studio Author application. This consumer license will also enable the template model user interface to be automatically invoked as template models are consumed from the NX Reuse Library.

NX Open Toolkits Author

NX Open is a collection of application programming interfaces (APIs) that enable you to create custom applications for NX through an open architecture using well-known programming languages (C/C++, Visual Basic, C#, Java, and Python). You can automate these complex and repetitive tasks, integrate third-party applications and customize the NX interface.

NX Open for .NET Author

The NX Open for .NET Author license provides you with the NX .NET API libraries, documentation and utility tools required to create .NET custom applications.



NX Open Python Author

The NX Open Python Author license provides you with the NX Python API libraries, documentation and utility tools required to create Python custom applications.

NX Open Dialog Designers

NX Open Dialog Designers provide the application modules, visual dialog builder, libraries and documentation necessary to interactively construct production-quality dialogs that you can use in the NX environment and supported platforms. The dialog designer consists of two design tools: the Block Styler, which provides interactive tools to design block-based dialogs and the User Interface Styler, which provides various widgets to construct a dialog that you can use in the NX environment.

NX Open GRIP Author

Graphics Interactive Programming (GRIP) is a programming language that enables you to automate operations in NX. In some cases, GRIP can perform advanced, customized operations in a more efficient manner than using NX interactively. NX Open GRIP Author provides GRADE (GRIP Advanced Development Environment) for editing, compiling and linking GRIP programs.

NX Integration to Geolus*

Designers can dynamically search and retrieve parts that have been indexed into the Geolus database. The shape search can look for either exact or similar matches and open the part into the NX session.

Design validation

NX provides powerful visual product analytics and validation tools that enable you to quickly synthesize information, check designs for compliance to requirements and make informed decisions. Integrated design-for-manufacturing (DFM) checks can significantly reduce engineering change orders (ECOs), manufacturing defects, costs and delays. With design-integrated motion, structural, and thermal simulation tools in NX, you can quickly compare design alternatives and optimize performance characteristics from the earliest stages of the design process.

NX Human Modeling*


Designers can create feature models of human beings, which can be used to explore and verify how people interact with product designs. The designers can use the human models to explore and verify how people interact with product designs all within the NX environment.

NX Human Modeling Posture Prediction*

Posture prediction is specifically aimed at the automotive industry and allows users to position a model of a human driver, front passenger or rear passenger in a statistically accurate seated position inside an automotive vehicle. Users specify the position of the hands and feet, such as the driver's hands and feet touching the steering wheel and brake pedal and the model then predicts an occupant's hip location, eye locations and arm and leg positions based on the type of vehicle and the occupant's hand and foot locations.

NX Design Simulation

This design-integrated structural simulation tool helps you validate the structural performance of your design. Compare design alternatives and optimize performance characteristics of products from the earliest stages of the design process. Simulation technology is based on and scalable to Simcenter 3D for further analysis by expert analysts. The result is a highly iterative and predictive engineering process that delivers innovative designs, higher quality products and reduced time-to-market.



NX Motion

Predict and understand the functional dynamic mechanical behavior of assemblies and mechanisms. NX Motion is an advanced yet simple-to-use solution that allows designers and engineers to understand, evaluate and optimize the complex motion behavior of assemblies and products. Based on Simcenter 3D simulation technology, NX Motion is a complete solution for kinematics and dynamic motion analysis of rigid multibody as well as static equilibrium. You can easily transfer the data to Simcenter 3D for more detailed analyses. The early use of performance simulation is key to the evaluation of design options to increase design confidence and reduce risk.



NX Animation Designer*

With this easy-to-use motion simulation application, designers can model the kinematic behavior of any product with moving parts in a time-based manner. This application helps designers gain a better understanding how the product will operate and determine clearances between parts during movement. You can also use NX Animation Designer to create disassembly animations for visually appealing product presentations.



Simcenter FLOEFD for NX

This full-featured 3D computational fluid dynamics (CFD) analysis solution enables design engineers to work directly on their CAD models to prepare and evaluate CFD simulations of fluid flow and heat transfer.

NX EasyFill Analysis

This integrated mold flow simulation tool enables designers to analyze part and mold designs during early stages of design. Designers can complete the analyses by using a pioneering 3D technology and high-performance 3D filling simulation.

NX EasyFill Analysis – Advanced

This add-on validates mold designs prior to manufacturing with capabilities such as multi-gate analysis, packing, shrinkage, fiber orientation and others. In addition to these capabilities, you can perform simulation preprocessing and postprocessing inside the NX CAD environment.

NX Check-Mate Runtime*

Allows customers to validate the integrity of the NX CAD part file with 300+ OOTB checkers to evaluate: part file content, geometry quality, model documentation and adherence to standards.



Fully customizable to meet individual customers needs and integrated with Teamcenter to enable check results to be linked into release workflows.

NX Check-Mate Author

NX Check-Mate provides an automated, customizable tool that helps users proactively improve product quality. The customization capabilities deliver reliable model and part checking to ensure that your CAD data meets your expectations.

NX DFMPro

This validation add-on executes design for manufacturability (DFM) checks on your CAD model by using a one-button click to identify potential problem areas. This check returns valuable information about model integrity with respect to downstream manufacturing processes. The checks include coverage of injection molding, casting, sheet metal, tubing, general machining and assembly.


NX VDA 4955 Checker*

The Association of German Automobile Industry (VDA) add-on checks the quality of curves, faces, solids and drawing data in an NX part file. It verifies that curves and surfaces are in compliance with international standards and local country regulations.

NX HD3D Visual Reporting*

NX HD3D Visual Reporting software inputs information of interest from your company's data sources directly into the 3D product design environment. The feature helps designers make unambigu-

ous assessments, interpret information more accurately and synthesize product and process data rapidly into correct design decisions. NX HD3D Visual Reporting comes with a set of




pre-defined, out-of-the-box (OOTB) reports that provide design teams with answers to commonly asked questions. Reports related to ownership, check out, part maturity, projects, load status, validation status and more are available for instant use. With the authoring capability, companies can create and modify custom reports to extract and present the data.

NX One-step Formability Analysis*

NX One-step Formability Analysis provides a quick and accurate finite element modeling (FEM) sheet metal forming analysis, while also providing tools for creating flattened blanks and pre-forms from complex freeform geometry.

NX Mold Cooling*

NX Mold Cooling provides wizard-based capabilities to rapidly simulate the thermal performance of injection mold inserts, identify hot spots and uneven temperatures on parts,



generate reports and compare the performance between design iterations. Users can perform both 1D duct flow simulation and 3D CFD simulation.

NX Forming

The advanced forming analysis solution offers state-of-the-art capabilities for sheet metal forming analysis and all steps in the forming process, including gravity, binder wrap, crash forming, drawing, trimming, flanging and springback.

NX Forming SMP

By enabling parallel processing, users can solve larger forming analyses very quickly. Using distributed memory architecture, NX Forming SMP offers high performance computing (HPC) by taking full advantage of multiple core processing units (CPUs), multiple-core and multiple-thread configurations of the latest computing platforms in the Windows environment.

Routed systems

NX digital product development solutions include an integrated suite of tools that help you facilitate the entire design process for routed systems, including wire harnesses, cables, piping, tubing, conduit and raceways. These process-specific tools reduce detailed design time, improve product quality and transfer product information seamlessly between the logical design, physical design, analysis, manufacturing and service sectors.

NX Diagramming*

NX Diagramming is a multi-disciplinary diagram creation and applicable to various industries. This product provides an environment for the positioning and connection of equipment from standard or custom equipment libraries into logical 2D diagrams using superior diagram creation tools. It includes a specific task environment for easy creation of new symbol libraries and enables the creation of run and branches in the diagram that can then connect with real 3D equipment.



NX Routing Base*

You can use NX Routing Base to complete core capabilities used by all NX routed system design solutions. This includes all of the general capabilities needed to create, edit copy and move paths. It also includes tools to help you define standard part libraries, select parts from libraries and intelligently place standard parts within the paths. It also enables designers to define standard stock specifications and assign them to paths.

NX Routing Piping and Tubing*

You can use this to optimize piping and tubing design workflows with intelligent path creation, specification-driven part selection, smart part placement, collision detection, weight calculations and knowledge rules that concurrently validate designs against company and industry standards. The product supports both rigid and flexible pipes and tubes.

NX Routing HVAC*

NX Routing HVAC delivers 3D tools for creating, modifying, validating and documenting HVAC systems. It optimizes HVAC design workflows through intelligent path creation, specification-driven part selection, smart part placement, collision detection, weight calculations, duct splits, duct size calculation and knowledge rules that concurrently validate designs against company and industry standards. The product supports pre-defined catalogs of HVAC parts and parametric templates that you can modify on-the-fly (smart sizing) to fit any space constraints. Together with other NX capabilities like hangers and sheet metal flat patterns, this product provides a complete lifecycle solution for HVAC design.

NX Piping Fabrication Drawings and PMI

This is an add-on to NX mechanical routing that creates 3D PMI information and corresponding piping isometric drawings from piping models. All the necessary information for downstream fabrication is captured in the form of dimensions and annotations from the 3D model. Users can also create custom parts lists for the fabrication drawings. You can also update existing PMI views with dimensions, annotations and tables based on changes to the 3D model.



NX Penetration Management*

NX Penetration Management provides an interface for creating, managing and responding to penetration requests between different user groups responsible for steel structures and routed system design. The process begins with a routed system designer (such as a piping designer) who requests pipe penetrations through structures that are designed and maintained by a different design group such as a structure group. A penetration request defines the location of the required cutout and initiates a workflow that the end user can customize to meet specific needs. A typical workflow includes several review steps that the user must complete before they create the cutout to satisfy and close the request.

Electrical

Electrical systems

NX offers advanced software tools for the complete development of electrical systems, from electrical/electronic architecture definition, through detailed electrical design and wire harness manufacturing, to documentation and diagnostics.

NX Routing Cabling*

This can help users with routing electrical cables in a product assembly along with typical mechanical parts and supporting equipment such as conduit and raceways. It can automatically find paths that have been routed between devices and assign the cable descriptions to the path segments. NX Routing Cabling can automatically add actual cable lengths and diameters to the connection list for feedback to upstream electrical computer-aided design (ECAD) applications or downstream to manufacturing applications.

NX Cable Router*

NX Cable Router presents an interactive interface to the Cable Routing functionality and enables cable routing engineers to route and visualize a high volume of cables using interactive or automatic routing methods. This includes the ability to search cables based on multiple criteria, visualize start and end devices and set rules and preferences. This add-on optimizes cable routing with large vessels and accelerates cable route visualization which reduces cost and time and guides designers to the right decisions.

NX Routing Harness*

Designers can route an electrical wiring harness consisting of bundles of wires and specify typical mechanical parts and supporting equipment such as connectors and other devices. The software can also import the wiring characteristics for connections between electrical devices and automatically add actual wire lengths and diameters to the connection list for feedback to upstream ECAD applications or downstream to manufacturing applications.



PCB systems

NX provides an environment for the design of flexible, rigid-flex and rigid printed circuit boards (PCBs). Based on workflows common to the design of printed circuit boards, the PCB design tools help model printed circuits rapidly and accurately in an assembly and send the outlines to manufacturing or an ECAD system for further refinement.

NX PCB Exchange

NX PCB Exchange gives a foundation for the intuitive and efficient design of rigid and flexible printed circuits. PCB Exchange allows direct connection with all major printed circuit board (PCB) design applications, supporting various PCB data interchange formats (IDF, ProStep EDMD Schema IDX) and manufacturing formats (ODB++, GenCAD).

NX PCB Exchange for Xpedition

NX PCB Exchange for Xpedition builds an added layer of capability onto the foundation product. It provides a unique and innovative integration to Xpedition Enterprise PCB design flow, that goes beyond Industry standard methods of communication making it easy to model and manage 3D ECAD data. Boards and components are modeled using standard part modeling practices with NX or can be directly imported from Xpedition. An assembly of the board and components is created with NX Assembly Modeling and can be shared with Xpedition.

NX PCB Exchange for Zuken

This add-on transmits information between NX and Zuken CR-5000 and CR-8000 PCB design software. Users can transmit data such as the board outline, hole placements, component placements, keep-in and keep-out regions back and forth using a format native to the Zuken product. The software also enables enhanced data exchange concerning board layers, copper trace geometry and bend region geometry.

NX Flexible Printed Circuit Design*

The PCD design tools help model printed circuits rapidly and accurately in the context of an assembly and send the outlines to manufacturing or an ECAD system for further refinement. Users can check the printed circuit model developed in NX for clearances and tolerances and transfer the finished board model to an ECAD system for component placement and circuit trace or layer development.


Process-based applications

Jigs, fixtures and tooling

Automate the entire tool development process including part design, tool assembly layout, and detailed tooling design and validation using advanced NX functionality. With step-by-step guidance and associativity to part designs, you can work with even the most challenging tooling and fixture designs.

NX Mold Wizard*

You can create designs quickly and efficiently with this complete working environment of supporting functions and component data for mold designs. A process thread approach is employed to identify and develop the critical functions required to complete mold design tasks. The process thread approach includes the implementation of tools that simplify, automate and guide users through the tasks involved in the design of plastic injection molds.



NX Feature2Cost – Stamping

The NX Feature2Cost add-on provides the capabilities needed to analyze the product design and identify key features such as bends, embossing and sheet metal thickness that influence the manufacturing of stamping tools. Once you analyze and identify the features, the information is transferred to Teamcenter tool costing software to estimate manufacturing costs.

NX Feature2Cost – Mold

This helps users analyze the product design and identify key features such as ribs, openings, cores/cavities, side cores and

others that influence the manufacturing of injection molds. Once users analyze the features, they can transfer the feature information to Teamcenter tool costing to estimate the cost to manufacture the injection molding tools.

NX Flow Blend

This enables designers to create robust constant or variable blends along multiple complex faces with small curvatures that are essential for manufacturing.



NX Electrode Design*

NX Electrode Design is a timesaving, step-by-step solution that streamlines design and production of electrodes for electrical discharge machining (EDM). This solution helps automate and effectively design, validate, document, manufacture and manage the entire electrode development process from design through production.

NX Progressive Die Wizard*

The NX Progressive Die Wizard add-on offers the tools to construct progressive stamping dies. When planning the forming process, designers can define the pre-process, unfold the part and perform formability analysis (using One-step Formability Analysis), nest the flat pattern (blank layout), design the scraps and determine the strip and tool layout.



NX Die Structure Design*

This add-on assists tool designers with specific tools for creating blank, draw, trim and flange dies and associated transfer equipment for stamping sheet metal parts.

NX Die Engineering*

The wizard-like environment provides process-specific tools for die face design.

NX Molded Part Validation*

This add-on analyzes parts and automatically provides designers with information about draft angles, undercut areas, sharp corners, small radiuses and other items that could compromise molding quality. It also provides designers with an easy visual check of core and cavity sides.

NX Conformal Cooling Channel Design*

Users can use this to automate the conformal cooling channel creation on 3D printed metal mold inserts such as core and cavity. This capability helps mold designers to elimi-



nate many manual modeling processes that improves the creation of conformal cooling channels for mold inserts.

Industry-specific applications

NX delivers workflow solutions built for the specific needs of individual industries with modules for aero structure design, vehicle design automation, ship structure design, human modeling and automation engineering of production systems.

NX General Packaging*

The VDA software (General Packaging) is a set of software assistants and advisors that automate a wide range of tasks associated with the mechanical, safety, vision and occupant packaging of a vehicle. The vehicle design automation functionality checks designs for compliance with international standards and local country regulations.

NX Vehicle Design and Validation

This validation add-on helps engineers define the position of vision devices like mirrors and cameras in vehicles such as cars, trucks




and heavy equipment machinery in accordance with national and international safety standards. It works in conjunction with NX General Packaging.

NX Vehicle Design Advanced Validation

NX Vehicle Design Advanced Validation is a combination bundle incorporating NX General Packaging and NX Vehicle Design and Validation.

Fibersim*

Fibersim includes specialpurpose tools for engineering and manufacturing parts from fiber-reinforced composite materials. The software delivers a 3D environment that supports a concurrent



engineering process where design and analysis are performed in the context of the manufacturing process.

NX

Mastertrim*

Mastertrim gives users a complete set of tools for engineering transportation seating and interiors that efficiently define, commu-

nicate and maintain a complete and single representation of the automotive seat and interior components across disciplines. Once users define the master


	5 10 20 20 20 20 20 20	0000	Sec.	/ + (0mm)	1.
		+000			
A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY AND A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY AND A REAL PROPERTY AND A REAL PROPERTY AND A REAL PROPERTY A REAL	J Materia	*Same	Trin Surface	PartNumber	Material
Construction of Construction of Construction	Propose Configuration	Double Barry	Intel Loter	DESIDA	Laurer 100
	- E-Inegram / Sex Spectromon	Inter lat	Statistics.	179-512-A	Learner 350
	See Specification	Para Kati	Inter Junior	85-404A	Louther 100
CONSIGNATION OF THE PARTY OF	Shine have	fotor last	Index Sectors	128-626-5	Learner 330
ACCOUNT OF A DECK	· · · · · · · · · · · · · · · · · · ·	Paging Provid	Ered by two	145 789 A	Lagter 300
	- 2 Olevation Science	for the last	Subst Seller	325.494 A	Loather 150
Contraction of the local division of the	₹ CougeSourtine	lower hear	Index Surface	123,436.6	And the State
	Com Peur Ten Druck	Terro Terro	Dated Surface	100-007-0	1447er 100
	22 hours bet	ing 1	Inter Later	Distance A	LANDER LOD
1000 200 1	-O tona	Ine 1 Post	201023-0267	141-041-0	LARDer 520
	A statement	PRETOK	10411144	10.007	10100100
	Marinesa Hedner				
	 Becking Pad 				
	Manufacturing Servicine Conv. Out				
No. of the second states of the	- Bothan Concernat				
	Tel Poten coverage et				
	C C Referen				
	 Fat Pattern Export 				
	 Fail fatien import. 				
and the second se	* Decementation				

model, Mastertrim automatically provides upstream and downstream benefits, including enabling concurrent engineering, early cost feedback, quicker and more reliable changes, styling criteria verification and the reduction of design iterations.

NX Aerospace

Design*

NX Aerospace Design offers a set of tools (aero step, aero rib, aero shelf, aero flange), specifically tailored for designing aerospace parts.




NX Ship Structure Basic Design*

Designers can quickly model a preliminary macro view of the ship based on inputs available from the concept design stage. Users can easily model and modify a structural macro view of the ship to support early design-stage analysis, drawing generation and transition to detail design. The basic design model includes hull, plate and profile systems that can be further split with seams into smaller subsystems. Designers can define decks, bulkheads, pillars, stiffeners and edge reinforcements. Standard parts, brackets and cutouts can be added to the basic design model. The resulting models can be used in gross material estimates and weight and center-of-gravity calculations. The basic model transitions seamlessly to detail design.

NX Ship Structure Detail Design*

NX Ship Structure Detail Design provides tools needed to define and modify ship structural detail parts. It includes parametric detail feature definition for quick placement and modification of plates, stiffeners, brackets, holes, profile cutouts, clips and collars, cham-

fers, end cuts, corner features, edge features and flanged plates. It also supports the creation of structural pillars and application of insulation



material to steel surfaces. You can use all data generated from detail design to generate manufacturing and production planning outputs.

NX Ship Structure PMI Creation

This is an add-on to NX Ship Structures Detailed Design that creates PMI views with similar dimensions and annotations to those created by the combination of NX Ship Drafting and NX Ship Structure Dimensioning and Advanced Annotations.

NX Ship Structure Manufacturing Preparation*

NX Ship Structure Manufacturing Preparation enables creation of data for structural part fabrication. Manufacturing parts can be created from the detail design parts within a manufacturable unit and can be restructured to organize parts and enable welds distribution within the manufacturing assembly structure.

NX Ship Manufacturing Super Plate*

Two or more planar manufacturing plate parts can be combined to form a Super Plate part. All manufacturing processes already run on the individual plate parts like cutting side face, reference line, excess material etc., as well as weld information are copied to the Super Plate part.

NX Ship Drafting*

This add-on helps you create drawings required for classification approvals. Users can create frame bars on drawing views along with shipbuilding-specific baseline dimensioning methods. Ship section drawing views can be automatically annotated to include stiffener section symbols, structure ID symbols, filling lines representations, scantling information and continuity symbols. Designers can add annotations to each ship structure object and control color, fonts and widths of the ship structure lines.



NX Ship General Arrangement Design*

Ship designers can create quick and accurate proposals for new ships based on customer requirements during the concept design phase. It provides tools for creating a 3D model of the general arrangement of a ship and its corresponding 2D drawings. The application includes the capability to initialize the general arrangement design process based on a configurable product structure along with the definition of the concept grid model and the deck-based breakdown of the ship. Designers can then detail each into room spaces based on a specific purpose. They can also calculate net and gross volume and surface area for each space. This add-on also provides the ability to add standard equipment, parts and accommodation-related items from the reuse library to these spaces.



NX Issue Management

This adds an interface inside NX for integrating directly with Teamcenter-based Issue Management capabilities. The tool enables NX users to directly create, edit and manage issues, as well as associating 2D images and other files with issues.

NX Rules-based Structure Welding*

Shipbuilders can use this to automatically define welds in the 3D model. This application generates a lightweight object to represent each weld joint, enabling them to use NX to define very large quantities of welds. The software creates weld joints automatically based on the 3D part geometry and material, including the placement and bevel configuration. The application supports varying bevels, 3D edge preparations, automated (PMI) and drawing weld symbols.

Automation

Mechatronic design

NX provides a multidisciplinary approach to machine design that breaks down barriers between electrical, mechanical and automation engineers. Machine designers can rapidly perform a physics-based, interactive simulation to verify machine operation with a library of joints, motors, sensors and actuators along with kinematic and dynamic properties for each component.



NX Mechatronics Concept Designer*

NX Mechatronics Concept Designer (MCD) delivers a functional design approach to build concept models that combine mechanical, electrical and software components based on system-level product requirements. It enables early conceptual design capabilities in the disciplines of mechanical, electrical, and automation design and engineering and their associated parallel interdisciplinary workflows, supporting a coarse-to-fine product development process.

NX MCD Player*


This is a read-only viewer and simulation player for models created with MCD software. The player enables users to load and play simulations of mechatronic machines. Additional signal mapping capabilities are available to drive simulations using programmable logic controller (PLC) hardware or virtual software simulations of a PLC.

Factory design

With NX you can quickly design and visualize layouts of production lines and associate them to manufacturing planning. You can easily optimize the process by specifying each production step down to managing a single manufacturing resource, such as a robot or fixture. Perform accurate impact analysis and drive efficient change management by using a library of parametric resources.

NX Line Designer

The powerful manufacturing layout solution is integrated with Teamcenter fourth-generation design (4GD) or manufacturing process planning. You can use it with Teamcenter Classification to deliver a rich library of parametric equipment including racks, conveyors, safety equipment and material handling.



NX design products key add-ons overview

(Content is subject to change)

Core	Token licensing
NX STEP AP242 translator	Yes
NX CATIA V4 translator	Yes
NX CATIA V5 translator	Yes
NX Creo Translator	Yes
NX ACIS Translator	Yes
IX Translator for IFC	Yes
IX Command Prediction	Yes
IX Smart Selection	
IX Select Similar Faces	Yes
IX Voice – Command Assistant	Yes
IX Viewer	Yes
IX DMU and Markup	Yes
IX DMU and Markup Add-on for NX Viewer	Yes
IX Virtual Reality Review	
IX Virtual Reality Collaborate	
IX Extended Reality	Yes
IX Appearance Management	Yes
IX Appearance Management for Managed User	Yes
IX Multi-user Design Notification	Yes
wind user besign notification	
Aechanical	
dustrial design and styling	
X Render	Yes
X Realize Shape	Yes
X Draw Shape	Yes
roduct design	
X Show/Hide Similar	
X Layout	
IX WAVE Control	Yes
X Assembly Path Planning	Yes
X Lattice Structures Design	
X Structure Designer	Yes
X Platform Design	Yes
IX Topology Optimizer	Yes
IX Design Space Explorer	Yes
IX Advanced Sheet Metal	Yes
IX Fabric Flattener	Yes
IX Weld Assistant	Yes
IX Drawing Automation for NX	Yes
IX Physical Architecture Diagram Author	Yes
IX Physical Architecture Diagram Viewer	Yes
IX Physical Parameter Management Author	Yes
IX Physical Parameter Management Viewer	Yes
IX Reference Point Cloud View	
IX Join	Yes
IX OmniFree Transformer	
	_
IX OmniFree Transformer IX OmniMesh Transformer IX Advanced Convergent Modeling	 Yes

NX Advanced Assemblies	Yes
NX Design for Additive Manufacturing	Yes
Model-based definition	
NX Product and Manufacturing Information	Yes
NX Model-based Definition	Yes
NX PMI Effectivity	Yes
NX Staged Models	Yes
NX Technical Data Package	_
NX Coatings	Yes
Knowledge re-use	
NX Algorithmic Modeling	Yes
NX Product Template Studio Author	_
NX Product Template Studio Consumer	Yes
NX Open Toolkits Author	
NX Open for .NET Author	_
NX Open Python Author	_
NX Open Dialog Designers	
NX Open GRIP Author	_
NX Integration to Geolus	Yes
Design validation	
NX Human Modeling	Yes
NX Human Modeling Posture Prediction	Yes
NX Motion	
NX Animation Designer	Yes
Simcenter FLOEFD for NX	
NX EasyFill Analysis	
NX EasyFill Analysis – Advanced	
NX Check-Mate Runtime	Yes
NX Check-Mate Author	
NX DFMPro	
NX VDA 4955 Checker	Yes
NX HD3D Visual Reporting	Yes
NX One-step Formability Analysis	Yes
NX Mold Cooling	
NX Forming	
NX Forming SMP	
Routed systems	
NX Diagramming	Yes
NX Routing Base	Yes
NX Routing Piping and Tubing	Yes
NX Routing HVAC	Yes
NX Routing HVIC	
NX Penetration Management	Yes

Electrical

Electrical systems	
NX Routing Cabling	Yes
NX Cable Router	Yes
NX Routing Harness	Yes

NX Mach Series add-on modules

PCB systems	
NX PCB Exchange	_
NX PCB Exchange for Xpedition	_
NX PCB Exchange for Zuken	_
NX Flexible PCB	Yes

Process

Jig, fixture, tooling	
NX Mold Wizard	Yes
NX Feature2Cost – Stamping	_
NX Feature2Cost – Mold	_
NX Flow Blend	_
NX Electrode Design	Yes
NX Progressive Die Wizard	Yes
NX Die Structure Design	Yes
NX Die Engineering	Yes
NX Molded Part Validation	Yes
NX Conformal Cooling Channel Design	Yes
Industry-specific applications	
NX General Packaging	Yes
NX Vehicle Design and Validation	_
NX Vehicle Design Advanced Validation	_
Fibersim	Yes
Mastertrim	Yes
NX Aerospace Design	Yes
NX Ship Structure Basic Design	Yes
NX Ship Structure Detail Design	Yes
SNX Ship Structure PMI Creation	_
NX Ship Structure Manufacturing Preparation	Yes
NX Ship Manufacturing Super Plate	Yes
NX Ship Drafting	Yes
NX Ship General Arrangement Design	Yes
NX Issue Management	
NX Rules-based Structure Welding	Yes

Automation

Mechatronic design	
NX Mechatronics Concept Designer	Yes
NX MCD Player	Yes
Factory design	_
NX Line Designer	_

Siemens Digital Industries Software siemens.com/software

Americas

Europe 00 800 70002222

Asia-Pacific 001 800 03061910

For additional numbers click here.

© 2022 Siemens. A list of relevant Siemens trademarks can be found <u>here</u>. Other trademarks belong to their respective owners.

81514-D35 12/22 C